

BIOFORS ND 0.1

General Description:

BIOFORS ND 0.1 contains inactivated Newcastle Disease Virus (NDV) Ishii strain in a stable oil emulsion. NDV Ishii strain was amplified in embryonated chicken eggs. Allantoic fluids of embryonated chicken eggs was then harvested and then added with oil adjuvant. The vaccine has a physical appearance as viscous, white oil emulsion.

Composition per Dose (0.1mL):

Newcastle Disease Virus Ishii strain..... $\geq 10^{8.0} \text{EID}_{50}$

Indication for Use:

Prevention of Newcastle Disease in poultry.

Method of Vaccination:

Vaccinate 1 dose (0.1 mL) via subcutaneous or intramuscular route.

Withdrawal Period:

Subcutaneous injection: 4 weeks; intramuscular injection 8 weeks.

Storage Conditions:

Store in a dark place at 2-8°C. Do not freeze.

Packaging:

200Doses/20mL/Bottle, 500Doses/50mL/Bottle, 1000Doses/100mL/Bottle, and 2500Doses/250mL/Bottle, and 5000Doses/500mL/Bottle

Shelf Life:

2 years

Precautions:

- Following the instructions from and use under supervision by a veterinarian.
- Allow the vaccine to recover to room temperature before vaccination.
- Shake well and mix thoroughly before use.
- Use sterilized vaccination equipment.
- Protect from light and higher temperatures.
- Avoid accidental injection into the hands of the vaccinator. Seek immediate medical attention if this occurs.
- Sterilize unused vaccines and vaccines bottles by autoclaving before disposal.
- Vaccinate healthy chickens only.